



LED Down light

HALLEY STAR Holding Group

■ ROJ light ■ ENZO Power ■ ROJ LAND ■ Vetra ■ Liliac





5W
Cutting size
Φ80



7W
Cutting size
Φ90



9W
Cutting size
Φ100



18W
Cutting size
Φ170

LED Downlight

BRAND
■ HALLESTAR



VOLTAGE(V)
85-265VAC



CCT(K)
3000 / 6500




CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL	608-25F	608-30F	608-45F	608-60F
WATTAGE(W)	5	7	9	18
LUMINOUS(LM)	325	455	585	1260



LED Downlight

BRAND



VOLTAGE(V)
85-265VAC



CCT(K)
3000 / 6500




CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL	606-25C	606-35C	606-40C	606-50C	606-60C
WATTAGE(W)	7	12	18	23	30
LUMINOUS(LM)	525	900	1350	2200	2200



LED Downlight

BRAND

■ HALLESTAR ■ ENZO Power



CCT(K)
3000 / 6500



CRI
≥ 80




LIFETIME(H)
≥ 20000

MODEL

GGL-214B

WATTAGE(W)	7	12	18	30	50	65
LUMINOUS(LM)	525	1080	1620	2700	4600	6175



LED Downlight

BRAND

■ HALLESTAR ■ ENZO Power



VOLTAGE(V)
85-265VAC



CCT(K)
3000 / 6500



CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL


KOD THD 403

WATTAGE(W)

4

LUMINOUS(LM)

260/280



LED Downlight

BRAND

■ HALLESTAR ■ ENZO Power



VOLTAGE(V)
85-265VAC



CCT(K)
3000 / 6500



CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL


GGL-304

WATTAGE(W)

7

LUMINOUS(LM)

602



5W
Cutting size
Φ 70

LED Downlight

BRAND

■ HALLESTAR ■ ENZO Power



VOLTAGE(V)
85-265VAC



CCT(K)
3000 / 6500



CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL



KOD THD 705

WATTAGE(W)

5

LUMINOUS(LM)

400/420



LED Downlight

BRAND

■ HALLESTAR ■ ENZO Power



VOLTAGE(V)
85-265VAC



CCT(K)
3000 / 6500




CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL	TH01B05C	TH02B07C	TH02B10C	TH03B15C
WATTAGE(W)	5	7	10	15
LUMINOUS(LM)	400	560	800	1200



LED Downlight

BRAND

■ HALLESTAR
 ■ ENZO Power



VOLTAGE(V)
100~265VAC



CCT(K)
3000 / 6500



CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL

216R

WATTAGE(W)	20	30	45	60	80
LUMINOUS(LM)	1900	3113	4265	5777	8498



7W
Cutting size
Φ75



15W
Cutting size
Φ100



20W
Cutting size
Φ120



30W
Cutting size
Φ170



40W
Cutting size
Φ205

LED Downlight

BRAND
■ HALLESTAR



VOLTAGE(V)
100-265VAC



CCT(K)
3000 / 6500



CRI
≥80



LIFETIME(H)
≥20000

MODEL

GGL-235

WATTAGE(W)

7

15

20

30

40

LUMINOUS(LM)


628

1409

1919

2781

3900



2W
Cutting size
 $\Phi 32$

LED Downlight

BRAND



VOLTAGE(V)
100-265VAC



CCT(K)
3000 / 6500



CRI
 ≥ 80



LIFETIME(H)
 ≥ 20000

MODEL


QY-CL-R-2W-A

WATTAGE(W)

2

LUMINOUS(LM)

40



3W
Cutting size
φ42

LED Downlight

BRAND

 HALLESTAR



VOLTAGE(V)
100-265VAC



CCT(K)
3000 / 6500



CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL

QY-CL-R-3W-A

WATTAGE(W)

3

LUMINOUS(LM)

6



3W
Cutting size
Φ35

LED Downlight

BRAND
■ HALLESTAR



VOLTAGE(V)
100~265VAC



CCT(K)
3000 / 6500



CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL


QY-CL-R-3W-B

WATTAGE(W)

3

LUMINOUS(LM)

60



3W
Cutting size
Φ35

LED Downlight

BRAND
■ HALLESTAR



VOLTAGE(V)
100~265VAC



CCT(K)
3000 / 6500



CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL

QY-CL-R-3W-B1

WATTAGE(W)


3

LUMINOUS(LM)

60



2 IN 1



LED Downlight Surface

BRAND
■ HALLESTAR



VOLTAGE(V)
100-265VAC



CCT(K)
3000 / 6500



CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL

FH-THD1906

WATTAGE(W)

6+3

18+5

24+7

LUMINOUS(LM)


80

200


240




2 IN 1



6+3W
Cutting size
45-80



18+5W
Cutting size
45-130



24+7W
Cutting size
45-130

LED Downlight Surface

BRAND
■ HALLESTAR



VOLTAGE(V)
85-265VAC



CCT(K)
3000 / 6500




CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL	FH-THD1906		
WATTAGE(W)	6+3	18+5	24+7
LUMINOUS(LM)	80	200	240



LED Downlight

BRAND
 ■ HALLESTAR



VOLTAGE(V)
 85-265VAC



CCT(K)
 3000 / 6500




CRI
 ≥ 80




LIFETIME(H)
 ≥ 20000

MODEL	FH-THD1906		
WATTAGE(W)	6+3	18+5	24+7
LUMINOUS(LM)	80	200	240



7W
Cutting size
Φ80



7W
Cutting size
Φ108

LED Downlight

BRAND
ENZO Power



VOLTAGE(V)
100-240VAC



CCT(K)
3000 / 6500



CRI
≥ 80



LIFETIME(H)
≥ 20000


MODEL	RML-261A	RML-260A
WATTAGE(W)	5	12
LUMINOUS(LM)	350	960




9W
Cutting size / $\Phi 75$



16W
Cutting size / $\Phi 95$



20W
Cutting size / $\Phi 120$



30W
Cutting size / $\Phi 145$

LED Downlight

BRAND
■ ENZO Power



VOLTAGE(V)
100-265VAC



CCT(K)
3000 / 6500




CRI
 ≥ 80



LIFETIME(H)
 ≥ 20000

MODEL	GGL-218B			
WATTAGE(W)	9	16	20	30
LUMINOUS(LM)	785	1439	1864	2855




LED Downlight

BRAND

■ HALLESTAR ■ ENZO Power ■ ROJ light



MODEL	Color Changeable
WATTAGE(W)	8+8
LUMINOUS(LM)	718.8
CCT(K)	GREEN/RED/PNK/MANGO/YELLOW/WHITE+7000+3500



8+8W / 12W
Cutting size
45-80

LED Downlight

BRAND

■ HALLESTAR ■ ENZO Power ■ ROJ light



MODEL	Color Changeable	Color Changeable 2 in 1
WATTAGE(W)	8+8	12
LUMINOUS(LM)	80	80
CCT(K)	PINK+7000+3500	