




LED Flood light

HALLEY STAR Holding Group

■ ROJ light ■ ENZO Power ■ ROJ LAND ■ Vetra ■ Liliac





LED Flood light

BRAND

■ HALLESTAR ■ ENZO Power



VOLTAGE(V)
90~265VAC



CCT(K)
3000 / 6500



IP 67




CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL	FL-SMD-20	FL-SMD-30	FL-SMD-50	FL-SMD-100	FL-SMD-150
WATTAGE(W)	20	30	50	100	150
LUMINOUS(LM)	1600	2400	4000	8000	12000



LED Flood light

BRAND

■ HALLESTAR ■ ENZO Power



VOLTAGE(V)
90~265VAC



CCT(K)
3000 / 6500



IP 67




CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL	FL-SMD-200	FL-SMD-300	FL-SMD-400	FL-SMD-500
WATTAGE(W)	200	300	400	500
LUMINOUS(LM)	16000	24000	32000	40000



LED Flood light RGB

BRAND

■ HALLESTAR ■ ENZO Power



VOLTAGE(V)
90~265VAC



CCT(K)
RGB



IP 67




CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL	FL-SMD-20	FL-SMD-50
WATTAGE(W)	20	50
LUMINOUS(LM)	16000	32000



LED Flood light

■ ENZO Power



VOLTAGE(V)
100-240VAC



CCT(K)
3000 / 8000



IP 67



CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL

T036

WATTAGE(W)

50

100

150

200

LUMINOUS(LM)

3923

7985

12358

15986



LED Flood light

BRAND
■ HALLESTAR



VOLTAGE(V)
90~265VAC



CCT(K)
RGB



IP 67



CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL

FLOOD LIGHT

WATTAGE(W)

50



LED Flood light

BRAND

 HALLESTAR



VOLTAGE(V)
100~300VAC



CCT(K)
7000



IP 67



CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL

SH-DS

WATTAGE(W)



300

400

LUMINOUS(LM)

30000

40000



LED Flood light

BRAND
■ HALLESTAR



VOLTAGE(V)
100~300VAC



CCT(K)
6500



IP 67





CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL	OS	
WATTAGE(W)	100	150
LUMINOUS(LM)	100	



LED Flood light | ■ ENZO Power



VOLTAGE(V)
90~265VAC



CCT(K)
7000



IP 67



CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL

X3 FINISH

WATTAGE(W)


50

300

LUMINOUS(LM)

85

85



LED Flood light

BRAND

■ HALLEYSTAR ■ ENZO Power



CCT(K)
3000 / 6500



IP 67




CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL	GF01-PRO-BWG				
WATTAGE(W)	30	50	100	150	200
LUMINOUS(LM)	3000	5000	10000	15000	20000



LED Flood light



VOLTAGE(V)
100-265VAC



CCT(K)
3000 / 7000



IP 67




CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL	LPFL10A	LPFL20A	LPFL30A
WATTAGE(W)	10	20	30
LUMINOUS(LM)	900	1800	2700



LED Flood light

BRAND
RJ



VOLTAGE(V)
100-265VAC



CCT(K)
3000 / 7000



IP 67



CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL	LPFL-50BS01	LPFL-100BS01	LPFL-150BS01
WATTAGE(W)	50	100	150
LUMINOUS(LM)	4500	9000	13500