



LED Panel light

HALLEY STAR Holding Group

■ ROJ light ■ ENZO Power ■ ROJ LAND ■ Vetra ■ Liliac





6W
Cutting size
Φ70



12W
Cutting size
Φ95



16W
Cutting size
Φ110



22W
Cutting size
Φ130-140



32W
Cutting size
Φ185-190

LED PANEL

BRAND

■ HALLESTAR ■ ENZO Power



VOLTAGE(V)
100~265VAC



CCT(K)
3000 / 6500



CRI
≥80



LIFETIME(H)
≥20000

MODEL	RBY06	RBY12	RBY16	RBY22	RBY32
WATTAGE(W)	6	12	16	22	32
LUMINOUS(LM)	480 / 510	840	1280 / 1360	1540	2240



6+3W
Cutting size
Φ70



12+4W
Cutting size
Φ95



18+6W
Cutting size
Φ130-140



24+12W
Cutting size
Φ185-190

LED PANEL

BRAND

■ HALLESTAR ■ ENZO Power



VOLTAGE(V)
100-265VAC



CCT(K)
3000 / 4000
6000



CRI
≥ 80



LIFETIME(H)
≥ 20000


MODEL	RBY06	RBY12	RBY18	RBY24
WATTAGE(W)	6+3	12+4	18+6	24+12
LUMINOUS(LM)	480 / 510	960 / 1020	1760 / 1870	2240



6+3W
Cutting size
 $\Phi 70$



12+4W
Cutting size
 $\Phi 95$



18+6W
Cutting size
 $\Phi 130-140$



24+12W
Cutting size
 $\Phi 185-190$

LED PANEL

BRAND

■ HALLEystar ■ ENZO Power



VOLTAGE(V)
100~265VAC



CRI
 ≥ 80



LIFETIME(H)
 ≥ 20000



MODEL	ZH-BR06D			
WATTAGE(W)	6+3	12+4	18+6	24+12
LUMINOUS(LM)	480 / 510	960 / 1020	1760 / 1870	2240
CCT(K)	3000K / 6500K / blue / Red / green			



LED PANEL

BRAND

■ HALLESTAR ■ ENZO Power



VOLTAGE(V)
85-265VAC



CCT(K)
3000 / 4000
65500



CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL	RA 3	RA 4 / 5	RA 7 / 10	RA 12 / 16	RA 15 / 20	RA 3	RA 3
WATTAGE(W)	3	4 / 5	7 / 10	12 / 16	15 / 20	25	30
LUMINOUS(LM)	130	320 / 288	448 / 800	1020 / 1360	1275 / 1700	2125	2100



3W
Cutting size / Φ40



4W / 5W
Cutting size / Φ50



7W / 10W
Cutting size / Φ75



12W / 16W
Cutting size / Φ95



25W
Cutting size / Φ145



30W
Cutting size / Φ160



15W / 20W
Cutting size / Φ125/120



LED Back light Panel

BRAND
■ HALLESTAR



VOLTAGE(V)
85-265VAC



CCT(K)
3000 / 6500



CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL	RBX07	RBX20	RBX30
WATTAGE(W)	7	20	30
LUMINOUS(LM)	420	1400	1800



9W
Cutting size / $\Phi 75$



16W
Cutting size / $\Phi 95$



20W
Cutting size / $\Phi 120$



30W
Cutting size / $\Phi 145$

LED Panel

BRAND
 HALLESTAR



VOLTAGE(V)
100~265VAC



CCT(K)
3000 / 6500




CRI
 ≥ 80




LIFETIME(H)
 ≥ 20000

MODEL	218-B09	218-B16	218-B20	218-B30
WATTAGE(W)	9	16	20	30
LUMINOUS(LM)	785	1439	1864	2855



10W
Cutting size
Φ70-100



18W
Cutting size
Φ70-135

LED Ceiling

BRAND
■ HALLESTAR



VOLTAGE(V)
140-265VAC



CCT(K)
3000 / 6500



CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL	KWT10	KWT18
WATTAGE(W)	10	18
LUMINOUS(LM)	850	1550 / 1600



18W
Cutting size
Φ205

LED Wooden Panel

BRAND
■ HALLESTAR



VOLTAGE(V)
85-265VAC



CCT(K)
3000 / 6500




CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL	ZH-R181-1	ZH-R181-2	ZH-R181-3
WATTAGE(W)		18	
LUMINOUS(LM)		1440	



SLIM PANEL

BRAND

■ HALLESTAR ■ ENZO Power ■ ROJ light



VOLTAGE(V)
85-265VAC



CCT(K)
3000 / 8000




CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL	ZH-R031	ZH-R061	ZH-R091	ZH-R121	ZH-R181	ZH-R241	ZH-R281
WATTAGE(W)	3	6	9	12	18	24	28
LUMINOUS(LM)	240	480	720	960	1440	1920	2240



18W
Cutting size
LW205

SLIM PANEL

BRAND

■ HALLESTAR ■ ROJ light



VOLTAGE(V)
85-265VAC



CCT(K)
3000 / 6500



CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL





ZH-S181

WATTAGE(W)

18

LUMINOUS(LM)

1440



SLIM PANEL

BRAND

■ HALLESTAR ■ ROJ light



VOLTAGE(V)
140~265VAC



CCT(K)
3000 / 6500




CRI
 ≥ 80



LIFETIME(H)
 ≥ 20000

MODEL	ZH-BWR051	ZH-BWR091	ZH-BWR161	ZH-BWR241
WATTAGE(W)	3+2	6+3	12+4	18+6
LUMINOUS(LM)	400	720	1280	1920



3+2W
Cutting size
Φ70



6+3W
Cutting size
Φ105



12+4W
Cutting size
Φ155



18+6W
Cutting size
Φ205

SLIM PANEL

BRAND

■ HALLEystar



VOLTAGE(V)
140~265VAC



CCT(K)
3000 / 6500



CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL	UR-SEA06	UR-SEA09	UR-SEA16	UR-SEA24
WATTAGE(W)	3+2	6+3	12+4	18+6
LUMINOUS(LM)	400	720	1280	1920



8W
Cutting size
Φ75



20W
Cutting size
Φ140



24W
Cutting size
Φ195

SLIM PANEL

BRAND
■ HALLESTAR



VOLTAGE(V)
85-265VAC



CCT(K)
3000 / 6500



CRI
≥ 80



LIFETIME(H)
≥ 20000


MODEL	RHZ08	RHZ20	RHZ24
WATTAGE(W)	8	20	24
LUMINOUS(LM)	480	1400	1680



8W
Cutting size
L/W75



20W
Cutting size
L/W140



24W
Cutting size
L/W200

LED PANEL

BRAND

■ HALLESTAR



VOLTAGE(V)
85-265VAC



CCT(K)
3000 / 6500




CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL	RHZ08	RHZ20	RHZ24
WATTAGE(W)	8	20	24
LUMINOUS(LM)	480	1400	1680




LED PANEL


BRAND
 HALLEystAR



MODEL	ZH-BWR051	ZH-BWR091	ZH-BWR161	ZH-BWR241
WATTAGE(W)	3+2	6+3	12+4	18+6
LUMINOUS(LM)	400	720	1280	1920



15W
Cutting size
Φ70



24W
Cutting size
Φ70

LED Surface Panel

BRAND

■ HALLEYSTAR



VOLTAGE(V)
85-265VAC



CCT(K)
3000 / 6500




CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL	RHZ-M15	RHZ-M24
WATTAGE(W)	15	24
LUMINOUS(LM)	1050	1680



15W
Cutting size
LW70



24W
Cutting size
LW70

LED Surface Panel

BRAND

■ HALLESTAR



VOLTAGE(V)
85-265VAC



CCT(K)
3000 / 6500




CRI
≥ 80




LIFETIME(H)
≥ 20000


MODEL	SHZ-M15	SHZ-M24
WATTAGE(W)	15	24
LUMINOUS(LM)	1050	1680




18W
Cutting size
Φ100



24W
Cutting size
Φ105



36W
Cutting size
Φ110



48W
Cutting size
Φ115

LED Surface Panel

BRAND
■ HALLEystar



VOLTAGE(V)
85-265VAC



CCT(K)
3000 / 6500




CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL	Mluna 18	Mluna 24	Mluna 36	Mluna 48
WATTAGE(W)	18	24	36	48
LUMINOUS(LM)	1700-1850	2400-2520	3700-3960	5200-5520



LED Surface Panel

BRAND

■ HALLESTAR



VOLTAGE(V)
100~240VAC



CCT(K)
3000 / 6500



CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL



Canon PA15-R25

WATTAGE(W)

25

LUMINOUS(LM)

1540



LED Surface Panel

BRAND

■ HALLEystAR



VOLTAGE(V)
100~240VAC



CCT(K)
3000 / 6500




CRI
≥ 80




LIFETIME(H)
≥ 20000


MODEL	Canon PA15-S25	Canon PA15-S42
WATTAGE(W)	25	42
LUMINOUS(LM)	1540	3360



16W



24W



34W

LED HONEY COMB

BRAND

■ HALLESTAR



VOLTAGE(V)
130~265VAC



CCT(K)
3000 / 4000
9000



CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL

SURFACE PANEL LIGHT

WATTAGE(W)

16

24

34

LUMINOUS(LM)

1500

2200

3200



50W / 80W

LED Panel

BRAND
■ HALLEystAR



VOLTAGE(V)
85-265VAC



CCT(K)
3000 / 6500




CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL	60*60 Panel		Frame Panel
WATTAGE(W)	50	80	50
LUMINOUS(LM)	5000	6400	3840



LED Panel | BRAND

■ HALLESTAR ■ ENZO Power ■ ROJ light



VOLTAGE(V)
85-265VAC



CCT(K)
3000 / 4000
7000



CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL

Panel 60x60

WATTAGE(W)

50

70

LUMINOUS(LM)

4820

5760



LED Panel | BRAND ■ HALLESTAR



VOLTAGE(V)
85-265VAC



CCT(K)
3000 / 4000
7000



CRI
≥ 80




LIFETIME(H)
≥ 20000

MODEL

Sky panel

WATTAGE(W)

40



LED Panel | BRAND

■ ENZO Power



VOLTAGE(V)
185~265VAC



CCT(K)
3200 / 7500




CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL	ART 60W-25 Square lens	ART 96W-25 Square lens	ART 120W-25 Square lens	ART 60W-25 round lens
WATTAGE(W)	60	96	120	60
LUMINOUS(LM)	7200	11520	14400	7200



LED Panel

LED Recessed Grille

BRAND

■ ROJ light



VOLTAGE(V)
185~265VAC



CCT(K)
3200 / 7500



CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL


GF-P-R05

WATTAGE(W)

96

LUMINOUS(LM)

4800



LED Panel

LED Recessed Grille

BRAND
■ ROJ light



VOLTAGE(V)
185~265VAC



CCT(K)
3200 / 7500



CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL

GF-P-106

WATTAGE(W)


72

96

LUMINOUS(LM)

4800

9500



LED Panel

LED Recessed Grille

BRAND

■ ROJ light



VOLTAGE(V)
185~265VAC



CCT(K)
3200 / 7500



CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL

GF-P-02


WATTAGE(W)

96

LUMINOUS(LM)

4800

HALLEY S T A R



Recessed linear frame light
Grille panel light Plum series
60X60

BRAND
■ ROJ light



VOLTAGE(V)
85-265VAC



CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL

GF-P-04

WATTAGE(W)

96+48

LUMINOUS(LM)


4800

CCT(K)

6500K+ GREEN / BLUE / RED / 3200K

30

www.Halleystar.me



9W
Cutting size
50-70



18W
Cutting size
50-100



24W
Cutting size
50-150



36W
Cutting size
50-200

Adjustable Panel

BRAND
■ ROJ light



VOLTAGE(V)
85-265VAC



CCT(K)
3200 / 6500



CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL	GF-DR10	GF-DR18	GF-DR24	GF-DR36
WATTAGE(W)	9	18	24	36
LUMINOUS(LM)	1000	1425	2090	3040



Adjustable Panel

BRAND
■ ROJ light



9W
Cutting size
50-70



18W
Cutting size
50-100



24W
Cutting size
50-150



36W
Cutting size
50-200



VOLTAGE(V)
85-265VAC



CCT(K)
3200 / 8000



CRI
≥ 80




LIFETIME(H)
≥ 20000

MODEL	TCR			
WATTAGE(W)	9	18	24	36
LUMINOUS(LM)	570-600	1140-1200	1710-1800	2280-2400




Adjustable Panel


BRAND
■ ENZO Power




10W
Cutting size
Φ50-70



18W
Cutting size
Φ50-95



24W
Cutting size
Φ50-140



36W
Cutting size
Φ50-140



VOLTAGE(V)
130~265VAC



CCT(K)
3200 / 4000
8000




CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL	BH-TP10	BH-TP18	BH-TP24	BH-TP36
WATTAGE(W)	10	18	24	36
LUMINOUS(LM)	540	1800	2400	3600



12W
Cutting size
Φ75-105

LED Adjustable Panel
PD MODEL

BRAND
■ ENZO Power



VOLTAGE(V)
85-265VAC



CCT(K)
3200 / 8000



CRI
≥ 80




LIFETIME(H)
≥ 20000

MODEL	PD-MODEL
WATTAGE(W)	12
LUMINOUS(LM)	113.6



3
Step



LED frameless Panel
adjustable

BRAND
■ HALLEYSTAR



VOLTAGE(V)
85-265VAC



CCT(K)
3200 / 4000
8000




CRI
≥ 80



LIFETIME(H)
≥ 20000

MODEL	GF-FLR3			
WATTAGE(W)	10	18	24	36
LUMINOUS(LM)				



RA Back light | BRAND

■ ROJ light



MODEL	UR-MSEA06	UR-MSEA09	UR-MSEA16	UR-MSEA24
WATTAGE(W)	3+3	6+3	12+4	18+6
LUMINOUS(LM)	120	250	550	900